




Series 68000

Digital Pressure Gage

Large Easy-To-Read 4-Digit LCD, 1% F.S. Accuracy, Push Button Zero



Pressure



Eliminate the guess work in taking readings from an analog pressure gage with Series 68000 Digital Pressure Gage. Pressure readings are displayed continuously for three minutes before auto shut-off to conserve battery life. The large 4-digit LCD can be re-zeroed by a push button. Series 68000 incorporates a micromachined silicone sensor with no moving parts to ensure long life. The gage operates on one 9V battery to ensure long life.

MODELS

Model Number	Range	Resolution
68030V	0 to 30" Hg Vac	0.1" Hg
68030	0 to 30 psi	0.02 psi
68100	0 to 100 psi	0.1 psi
68300	0 to 300 psi	0.2 psi

SPECIFICATIONS

- Service:** Compatible with clean dry air and non-corrosive gases.
- Wetted Materials:** Silicone sensor, Brass connection.
- Housing:** ABS plastic.
- Accuracy:** 1.0% full scale.
- Pressure Limits:** 200% of full scale.
- Temperature Limits:** 30 to 120°F (-1 to 48.9°C).
- Size:** 2-1/2" diameter.
- Process Connection:** 1/4" male NPT.
- Power Supply:** One 9V battery.
- Battery Life:** Approximately 2-1/2 years.
- Weight:** 4.5 oz (128 g).
- Agency Approvals:** CE.



Series 69000

Pressure Gage

For Corrosive Fluids, Stainless Steel Wetted Parts, 1% FS Accuracy



Take pressure measurements at the touch of a button with Series 69000 Digital Pressure Gage. Series 69000 utilizes a thin film pressure sensor and is constructed with stainless steel wetted parts for compatibility with most corrosive fluids. The gage displays pressure measurements on a large 4-digit display with a 1% full scale accuracy. These digital gages feature push button zero and auto shut-off after 3 minutes of continuous display.

MODELS

Model Number	Range	Resolution
69010	0 to 100 psi	0.1 psi
69020	0 to 200 psi	0.1 psi
69050	0 to 500 psi	0.2 psi
69100	0 to 1000 psi	1 psi
69300	0 to 3000 psi	1 psi
69500	0 to 5000 psi	1 psi

SPECIFICATIONS

- Service:** Fluids compatible with 316 SS.
- Wetted Materials:** Stainless steel.
- Housing:** ABS plastic.
- Accuracy:** 1.0% full scale.
- Pressure Limits:** 150% of full scale or 6000 psi whichever is lower.
- Temperature Limits:** 30 to 120°F (-1 to 48.9°C).
- Size:** 2-1/2" diameter.
- Process Connection:** 1/4" male NPT.
- Power Supply:** One 9V battery.
- Battery Life:** Approximately 2-1/2 years.
- Weight:** 4.5 oz (128 g).